



Free Questions for [C_FIORDEV_22](#) by [braindumpscollection](#)

Shared by [Sosa](#) on [15-04-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

Your customer asks you about the advantages of the Model View Controller (MVC) design pattern used in SAPUI5, Which of the following answers do you provide? Note: There are 2 correct answers to this question.

Options:

- A- MVC is easy to implement for the project team members and supports quick coding.
- B- MVC artifacts can be transported and debugged separately.
- C- The data models can be reused by several different applications.
- D- Allows the project team to decouple UI development from business logic development

Answer:

A, B

Question 2

Question Type: MultipleChoice

An administrator wants to configure the SAP Fiori Launchpad for all users in one client for your S/4HANA 1809 landscape.

Options:

- A-** Create a target mapping in a catalog and assign the catalog to all users using roles. V O Define settings using transaction /UI2/FLP_CUS_CONF.
- B-** Which of the following options represents the best way for the administrator to do this?
- C-** Define settings using transaction /UI2/FLP_SYS_CONF.
- D-** Use the configuration file to define URL parameters to enable/disable features when starting the SAP Fiori Launchpad.

Answer:

B

Question 3

Question Type: MultipleChoice

You are developing SAP Fiori Elements applications

Which of the following actions are available in SAP Web IDE?

Note: There are 2 correct answers to this question.

Options:

- A- Create an annotation file associated with the OData service and add annotations
- B- Add catalog to user menu in a PFCG role and grant the role to user
- C- Create a catalog, target mapping, and tiles
- D- Choose the OData service as data provider for the project

Answer:

B, C

Question 4

Question Type: MultipleChoice

Which SAP Fiori app types require the SAP HANA database? Note: There are 2 correct answers to this question.

Options:

- A- Transactional
- B- Legacy
- C- Analytical
- D- Factshest

Answer:

C, D

Question 5

Question Type: MultipleChoice

You need to securely connect the SAP Web IDE to an on-premise system How does the SAP Cloud Connector help do this? Note:
There are 2 correct answers to this question.

Options:

- A- It creates connectivity by a reverse-invoke process on the on-premise system.
- B- It supports custom destination API configuration and certificate inspection.

C- It secures an SSL tunnel between the SAP Cloud and the on-premise system.

D- It initiates a cloud-based reverse-invoke process.

Answer:

A, C

Question 6

Question Type: MultipleChoice

You are modeling a new role for your SAP Fiori Launchpad users. Which of the following steps is an optional configuration step?

Options:

A- Assign Catalog to Role

B- Create Group and Assign Tile

C- Create Catalog

D- Create Tiles and Target Mappings

Answer:

B

Question 7

Question Type: MultipleChoice

In the data in the screenshot, you want to display the List of Companies in the Americas region. Which binding option do you use for the X, Y, and Z values in the view?

```
1 View:
2   <List id="myList" items="{X}"
3     headerText="Companies" >
4     <DisplayListItem label="{Y}" value="{Z}" />
5   </List>
6
7 Data:
8   var data = {
9     regions: [
10      {
11        name: "Americas",
12        companies : [
13          {
14            name : "Acme Inc.",
15            city: "Belmont"
16          },
17          {
18            name : "Beam Hdg.",
19            city: "Hancock"
20          }
21        ]
22      }
23    ]
24  };
25
```

Options:

A- X:/regions/0/companies Y: name Z: city

B- X:/regions/companies Y: name Z: city

C- X:/regions/0/companies Y: companies/O/name Z: companies/O/city

D- X:/regions/companies Y: companies/name Z: companies/city

Answer:

A

Question 8

Question Type: MultipleChoice

In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

```
1
2  QUnit.module("Calculator", {
3      setup: function() {
4          this.calculator = new Calculator();
5      },
6      teardown: function() {}
7  });
8  QUnit.test("show zero initially", function(assert) {
9      assert.equal(this.calculator, display(), 0);
10 });
11 QUnit.test("display entered digit", function(assert) {
12     this.calculator.press("1");
13     assert.equal(this.calculator.display(), 1);
14 });
15
```

Options:

- A- QUnit.module
- B- This.calculator.press(wl');
- C- eardown : function() {}
- D- QUnit.test

Answer:

B

To Get Premium Files for C_FIORDEV_22 Visit

https://www.p2pexams.com/products/c_fiordev_22

For More Free Questions Visit

<https://www.p2pexams.com/sap/pdf/c-fiordev-22>

