ServSafe-Manager Practice Questions

Shared by Duke on 26-10-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

In order to prevent food contamination, a food handler must:

Options:

A- practice frequent handwashing.
B- maintain refrigerated foods at or about $45^{\circ}F$ ($7^{\circ}C$).
C- sanitize all work surfaces every 5 hours.
D- wash and rinse all utensils regularly.

Answer:

A

Explanation:

While all the options listed relate to general kitchen operations, frequent handwashing is the single most important practice a food handler can perform to prevent the spread of foodborne illness. According to the CDC and ServSafe, human hands are the primary vehicle for transferring pathogens like Norovirus, Hepatitis A, and Staphylococcus aureus to food and food-contact surfaces. Handwashing is a 'preventative' measure that addresses the root cause of many outbreaks: poor personal hygiene.

The FDA Food Code is very specific about handwashing: it must take at least 20 seconds, with at least 10--15 seconds of vigorous scrubbing. It must be done in a dedicated handwashing sink---never in a prep sink or three-compartment sink. Food handlers must wash their hands at critical junctures: after using the restroom, after touching their face or hair, after handling raw meat, after coughing or sneezing, and before putting on gloves. Option B is incorrect because the safe holding temperature is $41^{\circ}F$ or lower, not $45^{\circ}F$. Option C is incorrect because frequently used surfaces must be sanitized every 4 hours, not 5. Option D is a general task, but it doesn't match the critical preventative impact of hand hygiene. By making handwashing a mandatory, frequent habit, the manager ensures that the most common path of contamination is blocked. This is often described as the 'gold standard' of food safety because it protects the food throughout the entire 'Flow of Food,' from preparation to the final service to the customer.

Question 2

Question Type: MultipleChoice

Sinks must be used for the correct intended purpose to prevent

Options:

A- cross-contact.
B- cross-contamination.
C- equipment damage.
D- high water usage.

Answer:

B

Explanation:

To maintain a sanitary environment, a foodservice facility must have dedicated sinks for specific tasks: handwashing, food preparation, and warewashing (cleaning and sanitizing). Using a sink for anything other than its intended purpose leads to cross-contamination, which is the transfer of pathogens from one surface or food to another. For example, if a food handler washes their hands or cleans a floor mop in a prep sink used for rinsing lettuce, bacteria such as E. coli or Salmonella can be transferred to the produce.

The FDA Food Code is very strict about this: handwashing sinks are for hands only; prep sinks are for food only; and service (mop) sinks are for facility cleaning. Cross-contamination is one of the 'Big Five' risk factors for foodborne illness identified by the CDC. By ensuring sinks are used correctly, the manager creates a physical barrier between 'dirty' tasks and 'clean' food production. While 'cross-contact' (Option A) specifically refers to the transfer of allergens, the broader concern with improper sink use is the spread of biological pathogens. Proper sink management is an 'Active Managerial Control' measure that protects the integrity of the food throughout its journey in the kitchen.

Question 3

Question Type: MultipleChoice

Which of the following is evidence of deliberate tampering of food?

Options:

A- Labels are missing from food containers.

B- Sulfites are added to prevent browning of lettuce.
C- Protective seal or wrapper is missing from a food container.
D- Food employees are handling ready-to-eat foods with bare hands.

Answer:

C

Explanation:

Food defense is the protection of food products from intentional contamination by biological, chemical, physical, or radiological agents. While 'accidental' contamination (like a hair in a soup) is common, 'deliberate tampering' is an act of sabotage. According to the ServSafe Manager guidelines and the FDA's A.L.E.R.T. program, one of the most visible signs of tampering is a missing or broken protective seal or wrapper on a food container. These seals are designed to guarantee the integrity of the product from the manufacturer to the end-user. If a seal is broken, it suggests that an unauthorized individual may have had access to the contents.

Managers must train receiving staff to inspect all incoming deliveries specifically for signs of tampering. This includes checking for punctured packaging, leaking containers, or boxes that appear to have been resealed with non-factory tape. While missing labels (Option A) are a regulatory violation and bare-hand contact (Option D) is a hygiene failure, they do not necessarily indicate a malicious attempt to harm the public. Adding sulfites (Option B) is actually a prohibited practice for fresh produce in many jurisdictions, but it is a chemical additive issue rather than tampering. To mitigate the risk of deliberate contamination, the A.L.E.R.T. system suggests that managers: Assure products are from safe sources, Look and monitor the security of the facility, Employees (know who is in the building), Report and keep records, and Threat (know what to do if a threat occurs). Isolating and reporting any products with suspicious packaging is a mandatory step in protecting the business and its customers from intentional harm.

Question 4

Question Type: MultipleChoice

When purchasing a dishwasher, a manager can tell if it is in compliance with the regulatory authority by

Options:

A- looking for an NSF seal of approval or a certification from ANSI on the dishwasher.
B- asking the salesperson to assure the dishwasher's quality, reliability, and adherence to code.
C- ensuring that the dishwasher's specifications adhere to commercial equipment requirements.

D- searching for approved appliances on the OSHA website.

Answer:

A

Explanation:

To ensure that equipment used in a commercial kitchen can be effectively cleaned and sanitized, it must be designed and constructed to high standards. ServSafe Manager training emphasizes that the most reliable way to verify this is by looking for the N4SF International or ANSI (American National Standards Institute) marks. These organizations are independent third parties that test and certify equipment for 'food-grade' safety and 'cleanability.'

An NSF-certified dishwasher is guaranteed to have non-absorbent materials, smooth joints, and the ability to reach the necessary temperatures for sanitization (either through chemicals or high heat). Relying on a salesperson's word (Option B) or general 'commercial' labels (Option C) is insufficient because many residential or low-quality commercial units do not meet the strict requirements of the FDA Food Code. OSHA (Option D) focuses on employee safety (e.g., preventing electrical shocks) rather than food sanitation. Health inspectors specifically look for these certification marks during inspections. If a manager installs non-certified equipment, they run the risk of being cited for a violation and having to replace the expensive machinery. Certification ensures that the 'Food Safety Management System' begins with the very tools used to clean and protect the operation's wares.

Question 5

Question Type: MultipleChoice

What is the FDA Food Code recommendation for fingernail maintenance for ungloved food preparation employees?

Options:

A- Nails must be professionally maintained and polished.
B- Nails must be unpolished, short, and smoothly trimmed.
C- Nails may be unpolished, long, and buffed until gleaming.
D- False nails are permitted as long as they are firmly affixed.

Answer:

B

Explanation:

Personal hygiene standards for food handlers are strictly defined in the FDA Food Code and ServSafe materials because the hands are the most common vehicle for transmitting pathogens to food. For employees who are not wearing gloves, fingernail maintenance is a critical safety factor. The recommendation is that nails must be kept unpolished, short, and smoothly trimmed. There are several biological and physical safety reasons for this requirement. First, long nails are difficult to clean effectively; pathogens like E. coli or Norovirus can easily become trapped in the space beneath the nail (the subungual region) and survive even thorough handwashing.

Second, nail polish and false nails (Option D) are prohibited because they pose a physical hazard risk. Polish can chip and fall into the food, and false nails can break off or lose their adhesive, ending up in a customer's meal. Furthermore, polish can hide the presence of dirt or grime under the nails, making it impossible for a manager to verify if a worker's hands are truly clean. 'Smoothly trimmed' nails are required to prevent the snagging or tearing of single-use gloves when they are worn, as a punctured glove offers no protection. While some jurisdictions may allow polish or false nails if gloves are worn at all times, the standard recommendation for 'ungloved' preparation (and the safest practice overall) is the 'short and natural' look. Managers must conduct daily hygiene checks to ensure staff are complying with this rule. Proper nail care is a simple but effective barrier in the defense against foodborne illness, emphasizing that every detail of a food handler's appearance has a direct impact on the safety of the food being served.

Question 6

Question Type: MultipleChoice

The Person in Charge (PIC) notices that a food handler has an infected wound on his or her hand. They must require the food handler to

Options:

A- get a release from a medical practitioner.
B- cover the wound with a waterproof bandage and single-use glove.
C- work in the office until the wound heals.
D- apply antibacterial cream to the wound.

Answer:

B

Explanation:

According to the ServSafe Manager curriculum and the FDA Food Code, an infected wound, cut, or boil on a food handler's hand or wrist is a potential source of Staphylococcus aureus. This pathogen is commonly found on the skin and can easily be transferred to food or food-contact surfaces. To mitigate this risk, the wound must be properly contained. The standard requirement is a 'double barrier' system: the wound must first be covered with a waterproof, leak-proof bandage (such as a finger cot or rubber stall), and then a single-use glove must be worn over the bandage.

If the wound is on the arm, it must be covered with a waterproof bandage, but a glove is not required as the arm does not typically make direct contact with food. However, for wounds on the hand or wrist, the glove is mandatory. This is a 'restriction' protocol. The employee can still work with food as long as the wound is completely covered and the barrier is maintained. If the wound cannot be properly covered (for example, if it is persistently oozing or if the employee cannot wear gloves), the PIC must restrict the employee from working with exposed food, clean equipment, or utensils. This procedure ensures that biological contaminants from the infection do not enter the 'Flow of Food.' Managers must monitor these barriers throughout the shift to ensure the bandage stays dry and the glove remains intact.

Question 7

Question Type: MultipleChoice

Which food is classified as a time/temperature control for safety (TCS) food?

Options:

A- Uncooked rice
B- Whole watermelon
C- Pumpkin seeds
D- Sliced tomato

Answer:

D

Explanation:

TCS food refers to food that requires time and temperature control to limit the growth of pathogenic microorganisms or the production of toxins. The FDA Food Code classifies sliced tomatoes as a TCS food. While a whole tomato (Option B) has a protective skin that keeps the interior sterile, the act of slicing or dicing breaks that barrier and alters the fruit's pH and water activity, making the flesh susceptible to the growth of bacteria, particularly Salmonella. Once sliced, tomatoes must be held at $41^{\circ}F$ ($5^{\circ}C$) or lower.

Other examples of TCS foods include milk and dairy products, meat, poultry, fish, shellfish, shell eggs, heat-treated plant foods (like cooked rice or beans), and sprouts. Uncooked rice (Option A) is a dry staple with very low water activity, making it shelf-stable until it is hydrated and cooked. Pumpkin seeds (Option C) are also low-moisture and do not support rapid bacterial growth in their dry state. For a Food Protection Manager, identifying which items on the menu are TCS is vital because these items require the most rigorous monitoring throughout the 'Flow of Food.' Failure to keep sliced tomatoes or other cut leafy greens refrigerated is a frequent cause of foodborne illness outbreaks and a common citation during health inspections.

Question 8

Question Type: MultipleChoice

Food that is honestly presented is

Options:

A- mixed with food coloring to appear fresher.
B- certified by National Sanitation Foundation (NSF).
C- held under a bright light to enhance appearance.
D- offered in a way that is not misleading.

Answer:

D

Explanation:

The concept of Honest Presentation is a regulatory requirement found in the FDA Food Code. It mandates that food must be offered to the customer in a way that does not mislead or misinform them about its true nature or quality. This means that guests must be able to judge the appearance, color, and quality of the food accurately. Providing food that is 'honestly presented' (Option D) ensures that the consumer is making an informed choice based on the actual condition of the product.

Specifically, the Food Code prohibits several practices that mask the age or quality of food. For example, using colored over-wraps, lights (Option C), or additives like sulfites and food coloring (Option A) to make old meat look red or wilted vegetables look green is a violation of this principle. Food that has been treated this way cannot be 'honestly' evaluated by the guest for safety. Furthermore, if a menu describes a product as 'fresh' when it was actually frozen, or 'wild-caught' when it was farm-raised, it violates honest presentation standards. For a Food Protection Manager, this principle also extends to labeling; all ingredients must be accurately disclosed to protect those with allergies. Maintaining integrity in how food is displayed and

described is not just an ethical practice; it is a safety measure that prevents guests from consuming potentially spoiled or misrepresented items.

Question 9

Question Type: MultipleChoice

When an operation is notified of a food item recall, What is the best action for the Person in Charge (PIC) to take?

Options:

A- Report the recall to the FDA.
B- Close the operation immediately.
C- Separate recalled food from other food and equipment.
D- Post a sign in the operation warning customers of the recall.

Answer:

C

Explanation:

A food recall happens when a manufacturer or a government agency (FDA or USDA) determines that a product is unsafe due to contamination, undeclared allergens, or mislabeling. Once a manager is notified of a recall, the immediate priority is to prevent the product from reaching the consumer. According to the ServSafe Manager protocol, the PIC must separate the recalled food from all other food, equipment, utensils, linens, and single-service items.

The recalled product should be clearly labeled 'Do Not Use' and 'Do Not Discard' to prevent it from being accidentally prepared or thrown away before the recall process is finalized. It is best to store it in a designated, secure area away from the regular Flow of Food. Reporting the recall to the FD3A (Option A) is typically unnecessary as the FDA usual4ly initiates or is already aware of the recall. Closing the operation (Option B) is only required if the recalled item was so pervasive that the entire facility is contaminated or if it caused an imminent health hazard. Posting a sign (Option D) might be required by local law in some cases, but the 'best' immediate safety action is the physical isolation of the product. The PIC should then follow the specific instructions provided in the recall notice, which may involve returning the product for credit or disposing of it in a manner that ensures it cannot be consumed.

Question 10

Question Type: MultipleChoice

Cross-contamination can be prevented by:

Options:

A- reheating food to $165^{\circ}F$ ($74^{\circ}C$) for 15 seconds.
B- purchasing produce only from approved suppliers.
C- storing glass thermometers in rubbing alcohol when not in use.
D- using color-coded cutting boards and utensils.

Answer:

D

Explanation:

Cross-contamination is one of the leading causes of foodborne illness, occurring when pathogens are transferred from one surface or food item to another. The ServSafe curriculum emphasizes that the most effective way to prevent this is through the physical separation of raw and ready-to-eat (RTE) foods. Using color-coded cutting boards and utensils is a gold-standard practice in active managerial control. In this system, different colors are assigned to specific food groups: for example, red boards for raw meat, yellow for raw poultry, blue for seafood, and green for produce or RTE items.

This visual cue system helps staff avoid the 'unintentional' error of using a knife that just cut raw chicken to subsequently chop lettuce for a salad. While reheating food (Option A) can kill bacteria, it is a 'corrective action' for time-temperature abuse, not a primary prevention method for cross-contamination. Purchasing from approved suppliers (Option B) is vital for food safety, but it does not stop contamination from happening once the food is inside the kitchen. Storing thermometers in chemicals (Option C) is incorrect as they must be washed and sanitized properly. Color-coding provides a simple, non-verbal communication tool that works across language barriers and high-speed service environments. Beyond just boards, this should extend to tongs, knives, and even cleaning cloths. When combined with proper handwashing and sanitizing between tasks, color-coding creates a redundant safety barrier that significantly reduces the risk of pathogens moving through the 'Flow of Food.' Managers must train staff to recognize the colors and monitor the kitchen to ensure that 'cross-overs' never occur, preserving the integrity of the finished dish.

To Get Premium Files for ServSafe-Manager Visit

https://www.p2pexams.com/products/servsafe-manager

For More Free Questions Visit

https://www.p2pexams.com/servsafe/pdf/servsafe-manager

