



Free Questions for S10-210 by certsdeals

Shared by Fuller on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

You need to add an iSCSI host and storage array to your environment. Your manager wants at least two options that allow all iSCSI initiators to query a central management server to locate the address of all iSCSI resources (e.g., iSCSI initiators, targets, switches, and management stations).

Which two protocol methods would be used? (Choose two.)

Options:

- A- Directory Name Service protocol (DNS)
- B- Simple Network Management Protocol (SNMP)
- C- Internet Storage Name Server protocol (iSNS)
- D- Service Location Protocol (SLP)

Answer:

C, D

Question 2

Question Type: MultipleChoice

Which two cloud deployment models address data privacy issues? (Choose two.)

Options:

- A- Community
- B- Public
- C- Private
- D- Hybrid
- E- Campus

Answer:

C, D

Question 3

Question Type: MultipleChoice

The system administrator has received complaints about the decreased performance of two LUNs. When you investigate the port being used to connect to the LUNs, you discover that the port has achieved its maximum throughput. You also discover that there are other ports available on the storage array that are not oversubscribed.

Which specific driver is needed to balance workloads between the host and storage?

Options:

- A- SCSI driver
- B- TCP/IP driver
- C- Failover driver
- D- Multi-path driver

Answer:

D

Question 4

Question Type: MultipleChoice

Only one of many servers is suffering poor performance with a nearline (Tier 2) storage system. The server administrator has not discovered any obvious root cause. The server has multiple paths to the storage system but only one path is active. Routine monitoring by the storage administrator has determined that a single storage port has received a high number of bad frames.

What should the SAN administrator do?

Options:

- A- Determine the source of duplicate frames.
- B- Verify that the host ports are correctly zoned.
- C- Find the source of frames with CRC errors.
- D- Collect new performance data and compare to the baseline.

Answer:

C

Question 5

Question Type: MultipleChoice

Which type of storage replication is required, at a minimum, for a non-critical application?

Options:

- A- Synchronous
- B- Asynchronous
- C- Semi-synchronous
- D- Multi-synchronous

Answer:

B

Question 6

Question Type: MultipleChoice

A solution architect needs to know how your switches enforce zoning. The enforcement method and identification type being used in your current FC switches must provide the highest level of security.

Which zoning enforcement should you use?

Options:

- A- Session-based without hardware support
- B- Frame-based and hardware support
- C- Software-based with hardware support
- D- Frame-based and software enforced

Answer:

B

Question 7

Question Type: MultipleChoice

Click the Exhibit button.

Configuration:

- basic single switch
- 10 servers with 4 Gbps HBAs
- 16 port 4 Gbps Switch
- dual-port storage array both ports attached to switch

Application Requirements:

- all servers require 150 MBps sustained data rates)

Referring to the configuration shown in the exhibit, when will the servers oversubscribe the connections between the storage array and the switch?

Options:

- A-** When the 6th server is added to the configuration
- B-** When the 7th server is added to the configuration
- C-** When the 8th server is added to the configuration
- D-** When the 9th server is added to the configuration

Answer:

A

Question 8

Question Type: MultipleChoice

Two different departments have funded the purchase of a new director-class switch. Each department wants to have control of the fabric. Two logical switches will need to be created, each with its own set of administrators.

Which feature must be enabled on the switch to do this?

Options:

- A- ACL
- B- Virtual SAN
- C- Virtual LAN
- D- Virtual Fabrics

Answer:

D

Question 9

Question Type: MultipleChoice

After provisioning a new LUN to a host, new storage cannot be detected on the host. Which three actions should be performed to troubleshoot this problem? (Choose three.)

Options:

- A- Scan memory on a host.
- B- Scan for new storage on the host,
- C- Verify that LUN mapping is correct.
- D- Verify that zoning on the FC switch is correct.
- E- Verify that the size of memory pages and block size is the same.

Answer:

B, C, D

Question 10

Question Type: MultipleChoice

Your organization operates in a regulated environment and contracts with a service provider to manage tape backup media for highly confidential, secure data.

Using SNIA Storage Security Best Practices, which two statements are correct? (Choose two.)

Options:

- A-** Tape backup media is stored in a secure, temperature controlled vault.
- B-** The service provider keeps unencrypted backup media locked during transport.
- C-** All removable media is encrypted and backup media locked during transport.
- D-** The customer manages the chain of custody.

Answer:

A, C

Question 11

Question Type: MultipleChoice

Your company performs a full backup of a database server every Saturday night and incremental nightly backups for each day of the week thereafter. It takes 14 hours to perform a restore from a full backup and averages two hours for each incremental restore. The database server fails on Wednesday at 10:10 AM and needs to be fully restored.

What is the RTO?

Options:

A- 16 hours

B- 18 hours

C- 20 hours

D- 22 hours

Answer:

C

To Get Premium Files for S10-210 Visit

<https://www.p2pexams.com/products/s10-210>

For More Free Questions Visit

<https://www.p2pexams.com/snua/pdf/s10-210>

