



**Free Questions for [SPLK-2001](#) by [ebraindumps](#)**

**Shared by [Flowers](#) on [29-01-2024](#)**

**For More Free Questions and Preparation Resources**

**[Check the Links on Last Page](#)**

## Question 1

---

**Question Type:** MultipleChoice

---

Which of the following are requirements for arguments sent to the data/indexes endpoint? (Select all that apply.)

### Options:

---

- A- Be url-encoded.
- B- Specify the datatype.
- C- Include the bucket path.
- D- Include the name argument.

### Answer:

---

B, D

## Question 2

---

**Question Type:** MultipleChoice

---

Which of the following Simple XML elements configure panel link buttons? (Select all that apply.)

**Options:**

---

A- `<title>Open In Search</title>`

B- `<option name="link.visible">true</option>`

C- `<option name="trellis.enabled">false</option>`

D- `<option name="refresh.link.visible">false</option>`

**Answer:**

---

A, B

## Question 3

---

**Question Type:** MultipleChoice

---

Place content to set on page load inside which of the following Simple XML tags?

**Options:**

---

A- <set></set>

B- <eval></eval>

C- <init></init>

D- <value></value>

**Answer:**

---

C

## Question 4

---

**Question Type:** MultipleChoice

---

Which of the following log files contains logs that are most relevant to Splunk Web?

**Options:**

---

A- audit.log

**B-** metrics.log

**C-** splunkd.log

**D-** web\_service.log

**Answer:**

---

D

## Question 5

---

**Question Type:** MultipleChoice

---

Which of these URLs could be used to construct a REST request to search the employee KV store collection to find records with a rating greater than or equal to 2 and less than 5?

**Options:**

---

**A-** 'http://localhost:8089/servicesNS/nobody/search/storage/collections/data/employees?query=\${and:[{rating:{\$gte:2}},{rating:{\$lt:5}}]}&output\_mode=json'

**B-** 'http://localhost:8089/servicesNS/nobody/search/storage/collections/data/employees?query=\${and:[{rating:\$gte:2},{rating:{\$lt:5}}]}&output\_mode=json'

**C-** 'http://localhost:8089/servicesNS/nobody/search/storage/collections/data/employees?query={%22rating%22:{%22\$gte%22:2},{%22\$and%22},{%22rating%22:{% 22\$lt%22:5}}}&output\_mode=json'

**D-** 'http://localhost:8089/servicesNS/nobody/search/storage/collections/data/employees?query={%22\$and%22:[{%22rating%22:{%22\$gte%22:2},{%22rating%22:{% 22\$lt%22:5}}]}&output\_mode=json'

**Answer:**

---

C

## Question 6

---

**Question Type:** MultipleChoice

---

Which of the following endpoints is used to authenticate with the Splunk REST API?

**Options:**

---

**A-** /services/auth/login

**B-** /services/session/login

**C-** /services/auth/session/login

D- /servicesNS/authentication/login

**Answer:**

---

A

## Question 7

---

**Question Type: MultipleChoice**

---

Which of the following are reserved field names in a KV Store? (Select all that apply.)

**Options:**

---

A- \_key

B- \_time

C- \_user

D- \_source

**Answer:**

---

B, C

## Question 8

---

**Question Type:** MultipleChoice

---

Searching "index=\_internal metrics | head 3" from Splunk Web returned the following events:

```
04-12-2018 18:39:43.514 +0200 INFO Metrics -- group=thruput, name=thruput, instantaneous_kbps=0.9651774014563425,
instantaneous_eps=5.645638802094809, average_kbps=1.198995639527069, total_k_processed=2676, kb=29.91796875, ev=175,
load_average=3.85888671875
```

```
04-12-2018 18:39:43.514 +0200 INFO Metrics -- group_thruput, name_syslog_output, instantaneous_kbps=0, instantaneous_eps_0,
average_kbps=0, total_k_processed=0, kb=0, ev=0
```

```
04-12-2018 18:39:43.513 +0200 INFO Metrics -- group_thruput, name_index_thruput, instantaneous_kbps=0.9651773703189551,
instantaneous_eps=4.87137960922438, average_kbps=1.1985932324065556, total_k_processed=2675, kb=29.91796875, ev=151
```

When the same search is required from a REST API call, which fields will be given? (Select all that apply.)

**Options:**

---

**A-** \_raw



- B- name
- C- sourcetype
- D- instantaneous\_kbps

**Answer:**

---

A, C

## Question 9

---

**Question Type:** MultipleChoice

---

Which of the following describes a Splunk custom visualization?

**Options:**

---

- A- A visualization with custom colors.
- B- Any visualization available in Splunk.
- C- A visualization in Splunk modified by the user.
- D- A visualization that uses the Splunk Custom Visualization API.

**Answer:**

---

D

## Question 10

---

**Question Type:** MultipleChoice

---

Which of the following are types of event handlers? (Select all that apply.)

**Options:**

---

A- Search

B- Set token

C- Form input

D- Visualization

**Answer:**

---

C, D

## Question 11

---

**Question Type:** MultipleChoice

---

A KV store collection can be associated with a namespace for which of the following users?

**Options:**

---

- A- Nobody
- B- Users in the admin role.
- C- Users in the admin and power roles.
- D- Users in the admin, power, and splunk-system-user roles.

**Answer:**

---

B

## Question 12

---

**Question Type:** MultipleChoice

---

Which Splunk REST endpoint is used to create a KV store collection?

**Options:**

---

A- /storage/collections

B- /storage/kvstore/create

C- /storage/collections/config

D- /storage/kvstore/collections

**Answer:**

---

A

**To Get Premium Files for SPLK-2001 Visit**

**<https://www.p2pexams.com/products/splk-2001>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/splunk/pdf/splk-2001>**

