



Free Questions for [OG0-092](#) by [vceexamstest](#)

Shared by [Kirby](#) on [06-06-2022](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

You have been assigned the role of Chief Enterprise Architect within a leading professional services company that specializes in providing outsourcing services.

The company has over 20,000 professionals and works on some of the world's largest outsourcing projects. Outsourcing services include business processes, infrastructure, and service management. The company also provides business consulting services. Roughly half of its turnover comes from the private sector and half from the public sector.

With numerous service areas and a large number of diverse engagements in progress at any given time, overall engagement management within the company has become challenging. The company has recently had a number of high profile projects that have overrun on budget and under delivered, thereby damaging its reputation and adversely impacting its share price.

The company has established an Enterprise Architecture program based on the TOGAF standard, sponsored jointly by the Chief Executive Officer and Chief

Information Officer. An Architecture Board has been formed comprised of IT staff executives and executives from the major service areas and consulting practice.

The Enterprise Architecture (EA) team has been working with the Strategic Planning team to create a strategic Enterprise Architecture to address these issues.

The EA team has defined a framework and held workshops with key stakeholders to define a set of architecture principles to govern the architecture work. They have completed an Architecture Vision at a strategic level and laid out Architecture Definitions for the four

domains. They have set out an ambitious vision of the future of the company over a five-year period. This will include three distinct transformations.

The CIO has made it clear that prior to the approval of the detailed implementation and Migration plan, the EA team will need to assess the risks associated with the proposed architecture. He has received concerns from some of the vice presidents across the company that the proposed architecture may be too ambitious and they are not sure it can produce sufficient value to warrant the risks.

You have been asked to recommend an approach to satisfy these concerns.

Based on the TOGAF Standard, Version 9.2, which of the following is the best answer?

Options:

A- Before preparing the detailed Implementation and Migration plan, the EA team should review and consolidate the gap analysis results from Phases B to D. This can be used to understand the transformations that are required to achieve the proposed Target Architecture. The EA team should then assess the readiness of the organization to undergo change. Once the architecture has been assembled, it should be analyzed using a state evolution table to determine the Transition Architectures.

B- The EA team should apply an interoperability analysis to evaluate any potential issues across the architecture. This should include the development of a matrix showing the interoperability requirements. Once all of the concerns have been resolved, the EA team should finalize the Architecture Roadmap and the Implementation and Migration Plan.

C- The EA team should evaluate the organization's readiness to undergo change. This will allow the risks associated with the transformations to be identified and mitigated for. It will also identify improvement actions to be worked into the Implementation and Migration Plan. The Business Value Assessment technique should then be used to determine the business value and associated risks for the transformation.

D- The EA team should bring together information about potential solutions from the appropriate sources. Once the target architecture has been assembled, it should be analyzed using a state evolution table to determine the Transition Architectures. A value realization process should then be established to ensure that the concerns raised are addressed.

Answer:

C

Question 2

Question Type: MultipleChoice

Your role is that of Lead Enterprise Architect for a chain of convenience stores. The chain includes over 15,000 retail outlets throughout the Asia-Pacific region.

Each store in the chain is an independently owned and operated franchise. The stores operate 24 hours a day and 7 days a week. Many of the stores have been with the franchise for more than 10 years and still use the original IT systems deployed at that time.

The CEO of the chain has stated his concerns about the inefficiencies of the current systems and identified the need to change. He has defined a new strategic vision that will enhance the business by providing its franchisees new services to help them compete with other retail outlets and online retailers. This strategy is part of the long-term commitment to enhance the brand image and increase revenue for the chain. He has also stated that he expects improved financial results by the end of the current fiscal year.

The changes will help provide the chain with improved products, and more efficient operations. The stores will also act as delivery and return locations for a large online retailer which will further increase the number of potential customers. The addition of a corporate-wide data warehouse will provide analytics that will enable the marketing group to improve its ability to target advertising and new products to specific regions.

The chain has a mature Enterprise Architecture practice based in its headquarters and uses the TOGAF standard as the method and guiding framework. The CIO is the sponsor of the activity.

The Chief Architect engaged the services of a leading consulting firm that specializes in business strategy. An initial study has been conducted to identify the strategic changes needed to implement the CEO's vision. This recently completed with approval of a strategic architecture encompassing the entire chain, including detailed requirements and recommendations.

Based on the recommendations from the initial study, the decision for the chain to adopt a packaged suite of integrated applications that is tailored to the needs of the franchise has been taken.

You have been asked by the Chief Architect to propose the best approach for architecture development to realize the CEO's vision.

Based on the TOGAF Standard, Version 9.2 which of the following is the best answer?

Options:

A- You proposed that the target architecture is defined first, followed by transition planning. This is because the vision is well understood and the strategic architecture agreed. The target first approach will ensure that the current problems and inefficiencies of the baseline architecture are not carried forward, and the baseline architecture are not carried forward, and that the proposed solution addresses the requirements identified in the initial study.

B- You propose that his engagement define the baseline architecture first in order to assess the current infrastructure capacity and capability. The initial priority is to understand the problem. Then the focus should be on transition planning and architecture deployment. This will identify requirements to ensure that the projects are sequenced in an optimal fashion so as to realize the vision.

C- You propose that the team focus on defining the target architecture by going through the architecture definition phases (B-D). This is because the initial study identified the need to change. This will ensure that the change can be defined in a structured manner and address the requirements needed to realize the vision.

D- You propose that the team focus on architecture definition with a specific emphasis on understanding the strategic change parameters of the business strategy. Once understood, the team will be in the best position to identify the requirements, drivers, issues, and constraints for this engagement. You would ensure that the target architecture addresses non-functional requirements so as to ensure the target architecture is robust and secure.

Answer:

A

Question 3

Question Type: MultipleChoice

You are serving as an Enterprise Architect at a large aerospace company. It designs, manufactures and sells civil and military aviation products worldwide and manufactures in multiple countries both inside and outside of the European Union. The company has grown rapidly by acquisition and has inherited numerous different procurement processes and related IT systems.

Recently, several procurement processes, within the civil aviation business, have had problems related to the timing of purchases, which has led to excess inventory. The Vice President in charge of Supply Chain Management has made the decision to consolidate and reduce redundant procurement processes and systems. He has committed to the CEO that the business will move to a "Just-in-time" procurement system so as to keep inventory costs low.

The TOGAF standard is used for internal Enterprise Architecture activities. At presents, there are no architectural assets in the Architecture Repository related to this initiative. All assets will need to be acquired, customized, or created from scratch. The company prefers to implement commercial off the shelf package applications with little customization. The CIO, who is the project sponsor, has stated that she is not concerned about preserving the existing procurement processes or systems.

This project is using an iterative approach for executing the Architecture Development Method (ADM). The architecture development project has completed the

Architecture Vision Phase and has started a number of iteration cycles to develop the Architecture. As a packaged application is being considered, the next iteration will include both the Business and Application Architectures.

Stakeholder concerns that should be addressed by these architectures include:

1. What groups of people should be involved in procurement-related business processes?
2. What applications will these groups use once the architecture development is complete?
3. What non-procurement applications will need to be integrated with the new procurement applications?
4. What are the dependencies between the non-procurement and the new procurement applications?

[Note: You may need to refer to the Architectural Artifacts chapter, section 31.6 (located in Part IV) within the reference text in order to answer this question.]

You have been asked to identify the most appropriate catalogs, matrices, and diagrams to support the next iteration of Architecture development.

Based on the TOGAF Standard, Version 9.2, which of the following is the best answer?

Options:

- A-** You would describe the Baseline Business Architecture with an Organization/Actor catalog, a Business Service/Function catalog, and a Data Entity/Business Function matrix. You would describe the Baseline Application Architecture with an Application Portfolio catalog and an Application/Function matrix.
- B-** You would describe the Target Business Architecture with a Business Service/Function catalog, an Organization/Actor catalog, and Data Lifecycle diagrams. You would describe the Target Application Architecture with Application Communication diagrams, an Application Interaction matrix, and an Application Portfolio catalog.
- C-** You would describe the Target Business Architecture with a Business Interaction matrix, and a Business Service/Function catalog. You would describe the Target Application Architecture with an Application Communication diagram, an Application/Organization matrix, an Application Interaction matrix and an Interface catalog.
- D-** You would describe the Baseline Business Architecture with a Baseline Business Process catalog, and an Object lifecycle catalog. You would describe the Baseline Application Architecture with an Interface catalog and a Technology Portfolio catalog.

Answer:

B

Question 4

Question Type: MultipleChoice

You are working as a consultant to the Chief Architect at an intelligent and security organization responsible for securing government communications and information systems. These provide real-time, highly secure communication of voice, video, and message data to remote locations around the world. The agency has recently received information from intelligence sources that the current encryption protocols may no longer be secure. In response, a program is underway to upgrade the systems.

The agency has an established Enterprise Architecture (EA) capability based on the TOGAF standard. The Executive Director of the agency is the sponsor of the

EA capability.

Since reliable, high-performance, and secure communications are essential to preserving national security, the Executive Director has placed stringent requirements for the architecture of the upgraded systems. It must be able to provide assurance of the upgraded systems. It must be able to provide assurance and verification of specific performance measures on the key services that are most crucial for system operation. Focusing on these service-level details and specific measurements will allow stricter requirements to be enforced in service contracts. It will also provide a high degree of assurance that necessary performance is being delivered and that notifications will occur if any critical service fails to perform as required.

A portion of the program budget has been allocated to conduct a review of the E

Options:

A- The scope of the review is to evaluate the processes, content, and governance of the EA capability to ensure that the higher target performance and service levels required by the upgraded system can be achieved.

The Chief Architect has noted that the core EA artifacts that have been in use are not able to describe these new capabilities. The artifacts do not have explicit provisions for defining the in-depth measurement requirements regarding specific services required for the system. She has learned that certain services within the current system have service measurement implementations that match some of the new requirements, but they are only used in a few areas.

Recent EA efforts at another national agency have produced generalized high-performance communication system models to realize similar requirements in a critical defense system involving secure communications. It is possible that these models may be useful for the upgrade program.

[Note: You may need to refer to the Content Metamodel chapter, section 30.4 (located in Part IV) of the reference text in order to answer this question.]

You have been asked to make recommendations for tailoring the Architecture Content Metamodel to accommodate the requirements of the upgraded system.

Based on the TOGAF Standard, Version 9.2, which of the following is the best answer?

A- You recommend that the motivation and governance extensions are incorporated into the Architecture Content Metamodel. Using these extensions will allow modeling the goals, objectives and drivers for the architecture, linking them to service levels and more detailed governance models. This will also enable the ability to re-use existing profiles, customizing them for the various service contracts involved.

B- You recommend that a Communications Engineering view is created using the infrastructure consolidation extension from the Architecture Content Metamodel. This view will allow architects to align the needed performance measurement communications across the system. This will support the stringent performance measurements needed for the more detailed governance views required for the upgraded system, making the interfaces to the communication and network layer of the architecture highly visible at the application level.

C- You recommend all of the extensions be incorporated into the Architecture Content Metamodel. The full Content Metamodel will enable the EA team to capture and categorize all the important additional data needed to support the performance and measurement objectives linked to these artifacts. Once the new repository content has been implemented, on-demand queries can be used to

generate a customized governance stakeholder view that isolated the artifacts and data needed to assess measurement for any particular service. If this view is found to be inadequate for the governance concerns, the service models within those artifacts can be expanded.

D- You recommend that the services extension be incorporated into the Architecture Content Metamodel. By using this extension, the service model is no longer constrained by what is expected in typical business service definitions, allowing more flexibility for adding customized models to support the more stringent measurement requirements. The services extension can also be used to map terminology between the business services and the application components.

Answer:

D

Question 5

Question Type: MultipleChoice

You are serving as the Lead Architect for an Enterprise Architecture project team within a multinational oil and gas corporation. It is organized into two major business groupings:

Upstream operations which include exploration for crude oil and natural gas and operating the infrastructure necessary to deliver oil and gas to the market

Downstream operations which include the manufacturing, distribution and marketing activities for oil products and chemicals. Safety is a priority for the company, with the aim to ensure it causes zero harm to people and the environment. The company has to satisfy the

regulatory requirements of each of the countries it operates in.

The downstream business generates a third of the company's profits worldwide and includes more than 30,000 petrol stations and various oil refineries. In some countries it also includes oil refining, a retail petrol station network, lubricants manufacture and marketing, industrial fuel and lubricants sales. The practice for the downstream business has been to operate locally, managed by local "operating companies".

The Governing Board is concerned about the risk posed by operating in this complex global environment with a large part of the downstream business represented by local operating companies. As a result, the Chief Executive Officer (CEO) has appointed a Chief Compliance Officer (CCO) to be responsible for overseeing and managing compliance issues to the corporation. The CCO reports directly to the CEO.

The CCO has approved the expenditure of resources to establish an Enterprise Architecture program, and has mandated the use of the TOGAF standard as the framework. He has requested to be

You have been asked to recommend an approach that would enable the development of an architecture that addresses the needs of the Chief Compliance

Officer, legal staff, auditors and the local operating companies.

Based on the TOGAF Standard, Version 9.2, which of the following is the best answer?

Options:

A- You recommend that an analysis of the stakeholders is undertaken, including development of a Stakeholder Map. This will allow the architects to define groups of stakeholders who have common concerns. The concerns and relevant viewpoints should then be defined for each group of stakeholders, and recorded in the Architecture Vision document.

B- You recommend that the ArchiMate modeling language is used to create a set of models that can be applied uniformly across all architecture projects. Each architecture should then be defined based on this fixed set of models. All concerned parties can then examine the models to ensure that their needs have been addressed.

C- You recommend that a set of models be created for each project architecture that can be used to ensure that the system will be compliant with the local regulations. A formal review should be held with the stakeholders to verify that their concerns have been properly addressed by the models.

D- You recommend that a Communications Plan be created to address the powerful and influential stakeholders. This plan should include a report that summarizes the key features of the architecture with respect to each location and reflect the stakeholders' requirements. You will check with each stakeholder that their concerns are being addressed.

Answer:

B

Question 6

Question Type: MultipleChoice

Your role is that of the Lead Enterprise Architect at a multinational automotive corporation. The company is headquartered in Germany, and manufactures cars, trucks and buses. It has manufacturing plants across North America, South America, Europe and Asi

a. Each of these plants has been operating its own planning and production scheduling systems, as well as custom developed applications that drive the automated production equipment at each plant.

The company has an ongoing initiative to improve the efficiency of all of its production operations, and in particular to reduce its carbon footprint. During a recent exercise held for internal quality improvement, it was determined that a significant reduction in energy usage could be achieved by replacing the current planning and scheduling systems with a common Enterprise Resource Planning (ERP) system located in one central data center. This central system would provide support to each of the plants replacing the functionality in the existing systems. It would also eliminate the need for full data centers at each of the plant facilities.

The Enterprise Architecture department has been operating for several years and has mature, well-developed architecture governance and development processes that are based on the TOGAF standard. At a recent meeting, the Architecture Board approved a Request for Architecture Work sponsored by the global

CIO. The request covered the initial architectural investigations and the development of a comprehensive architecture to plan the transformation.

You have been asked to select the most appropriate recommendation to ensure that the team evaluated different approaches to the problem and clarifies the requirements for the architecture.

Based on the TOGAF standard, which of the following is the best answer?

Options:

A- The team should identify the individuals and groups within the organization who will contribute to the project, in order to understand who has concerns about the initiative. The team should then hold a series of interviews at each of the manufacturing plants using the business scenario technique. This will then enable them to identify and document the key high-level stakeholder requirements for the architecture.

B- The team should exercise due diligence and carefully research vendor literature and conduct a series of briefings with vendors that are on the current approved supplier list. Based on the findings from the research, the team should define a preliminary Architecture

Vison. The team should then use that model to build concerns among the key stakeholders.

C- The team should perform a shallow architecture development iteration, developing Baseline and Target Architectures for each of the manufacturing plants. This should include development of a set of views corresponding to selected viewpoints that address key concerns of the stakeholders. A consolidated gap analysis between the architectures will then be used to validate the approach, and determine the capability increments needed to achieve the target state.

D- The team should utilize its approved supplier list, and conduct a pilot project that will enable those suppliers to demonstrate potential solutions that will address the concerns of the stakeholders. Based on the findings of that pilot project, a complete set or requirements will be developed that will drive the evolution of the architecture.

Answer:

A

Question 7

Question Type: MultipleChoice

Your role is that of a consultant to the Lead Enterprise Architect in a company that develops wind turbines for use in wind farms. The company has three manufacturing facilities, one in North America, one in Asia, and one in Europe. Each of these facilities supplies the power industry in its region.

The company recognizes that the long-term technical potential of wind energy can address the current global dependency on carbon fuels, in order to do so this will require wind turbines to be installed over the large areas and in areas of higher wind resources. In

particular offshore wind farms can contribute substantially more energy than land stationed turbines.

The research arm of the company has pioneered the development of an offshore wind turbine design, with an improved turbine blade and power system, that will produce up to 20% more energy. This will allow the production of significantly more salable energy. This new design is ready to go into production.

The company has a mature Enterprise Architecture practice supported by a cross-functional Architecture Board and uses the TOGAF standard. The Chief

Information Officer and the Chief Operating Officer co-sponsor the Enterprise Architecture program.

As part of putting the new design into production, a pilot architecture project has defined an updated standard approach for controlling the automated test systems used to perform final quality assurance. The Chief Engineer, sponsor of the activity, and the Architecture Board have approved the plan for immediate implementation at each plant.

Architecture Contracts have been developed that detail the work needed to implement and deploy the new automated test system controller for each location. The

Chief Engineer has expressed concern that a uniform process be employed at each location to ensure consistency and a low blade failure rate.

You have been asked to recommend the best approach to address the Chief Engineer's concern.

Based on the TOGAF Standard, Version 9.2, which of the following is the best answer?

Options:

A- You create an Architecture Contract to manage and govern implementation and migration process at each location. For internal development projects, you issue a memorandum of understanding between the Architecture Board and the implementation organization. For contracts issued to an external party, you ensure that it is a fully enforceable legal contract. You ensure that the Architecture Board reviews all deviations from the Architecture Contract, and considers whether or not to grant a dispensation to allow the implementation organization to customize the process to meet their local needs.

B- You create an Architecture Contract to manage and govern the implementation and migration process. If the contract is issued to an external party, you ensure that it is a fully enforceable legal contract. For internal development projects, you decide it is adequate to utilize a memorandum of understanding between the Architecture Board and the implementation organization. You recommend that if a deviation from the Architecture Contract is detected, the Architecture Board grant a dispensation to allow the implementation organization the ability to customize the process to meet their local needs.

C- You review the applicable Architecture Contract for each location, ensuring that it addresses the project objectives, effectiveness metrics, acceptance criteria, and risk management. In cases where the contract is issued to an external party, you ensure that it is a legally enforceable contract. You schedule compliance reviews at key points in the implementation process to ensure that the work is proceeding in accordance with the Architecture Board reviews all deviations from the Architecture Contract, and considers whether or not to grant a dispensation to allow the implementation organization to customize the process to meet their local needs.

D- You use the Architecture Contracts to manage the architecture governance processes for the project across the locations. You deploy monitoring tools to assess the performance of each completed steam turbine at each location and develop change requirements if necessary. You recommend that if a deviation from the contract is detected the Architecture Board should modify the Architecture Contract to allow the implementation organization the ability to customize the process to meet their local needs. As a result, you then issue a new Request for Architecture Work to implement the modified Architecture Definition.

Answer:

C

To Get Premium Files for OG0-092 Visit

<https://www.p2pexams.com/products/og0-092>

For More Free Questions Visit

<https://www.p2pexams.com/the-open-group/pdf/og0-092>

