



Free Questions for UiPath-ADPv1 by certscare

Shared by Cook on 21-11-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

In the Robotic Enterprise (RE) Framework, at which point should a developer log a clear message with the Logging Level set to "Information," adhering to the best practices for automating a production-level process?

Options:

- A- Whenever an exception is caught in a Catch block.
- B- Whenever data is fetched from external sources.
- C- Whenever an argument or value is used.
- D- Whenever the robot encounters an error on a Queue Item.

Answer:

B

Question 2

Question Type: MultipleChoice

Which of the following is an outcome of converting a personal workspace into a folder in UiPath Orchestrator?

Options:

- A-** The owner of the initial workspace and the admin user are added by default to the newly created folder and assigned the Personal Workspace Administrator role.
- B-** The owner of the initial workspace is added by default to the newly created folder and assigned the Folder Administrator role.
- C-** The owner of the initial workspace loses access to the newly created folder and the existing admin users are added by default.
- D-** The admin user is added by default to the newly created folder with the User Administrator role.

Answer:

B

Question 3

Question Type: MultipleChoice

What is the purpose of the Invoke Code activity in UiPath?

Options:

- A- Invokes VB.NET or C# code, optionally passing it a list of input arguments.
- B- Invokes VB MET or Java code optionally passing it a list of input arguments
- C- Invokes VB MET code optionally passing it a list of input arguments
- D- Invokes Java code, optionally passing it a list of input arguments.

Answer:

A

Question 4

Question Type: MultipleChoice

Considering that the attached table is stored in a variable called "dt":

	A	B	C
1	No.	Item	Quantity
2		1 apple	10
3		2 orange	20
4		3 mango	5
5		4 kiwi	80
6		5 pear	1
7		6 apple	5
8		7 apple	12
9		8 mango	15

Which LINQ query can be used to return the maximum total Quantity?

Options:

A- dt.AsEnumerable. Max(Function(x) Convert.ToInt32(x('Quantity').ToString))

B- dt.AsEnumerable. Max(Function(x) Convert.ToInt32(x('Quantity').ToString))('Item')

C- dt.AsEnumerable. GroupBy(Function(x) x('Item').ToString). Max(Function(x) x.Sum(Function(y) Convert.ToInt32(y('Quantity').ToString)))

D- dt.AsEnumerable. OrderByDescending(Function(x) Convert.ToInt32(x('Quantity').ToString)). First.Item('Quantity')

Answer:

C

Question 5

Question Type: MultipleChoice

Following UiPath best practices, which project structure is best-suited for complex processes in UiPath Studio?

Options:

A- Sequence

B- Flowchart

C- Global Exception Handler

D- State Machine

Answer:

D

Question 6

Question Type: MultipleChoice

In the Robotic Enterprise (RE) Framework, at which point should a developer log a clear message with the Logging Level set to "Information," adhering to the best practices for automating a production-level process?

Options:

- A- Whenever an exception is caught in a Catch block.
- B- Whenever data is fetched from external sources.
- C- Whenever an argument or value is used.
- D- Whenever the robot encounters an error on a Queue Item.

Answer:

B

Question 7

Question Type: MultipleChoice

Which of the following is an outcome of converting a personal workspace into a folder in UiPath Orchestrator?

Options:

- A-** The owner of the initial workspace and the admin user are added by default to the newly created folder and assigned the Personal Workspace Administrator role.
- B-** The owner of the initial workspace is added by default to the newly created folder and assigned the Folder Administrator role.
- C-** The owner of the initial workspace loses access to the newly created folder and the existing admin users are added by default.
- D-** The admin user is added by default to the newly created folder with the User Administrator role.

Answer:

B

Question 8

Question Type: MultipleChoice

What is the purpose of the Invoke Code activity in UiPath?

Options:

- A-** Invokes VB.NET or C# code, optionally passing it a list of input arguments.
- B-** Invokes VB MET or Java code optionally passing it a list of input arguments
- C-** Invokes VB MET code optionally passing it a list of input arguments
- D-** Invokes Java code, optionally passing it a list of input arguments.

Answer:

A

Question 9

Question Type: MultipleChoice

Following UiPath best practices, which project structure is best-suited for complex processes in UiPath Studio?

Options:

- A-** Sequence

B- Flowchart

C- Global Exception Handler

D- State Machine

Answer:

D

To Get Premium Files for UiPath-ADPv1 Visit

<https://www.p2pexams.com/products/ui-path-adpv1>

For More Free Questions Visit

<https://www.p2pexams.com/ui-path/pdf/ui-path-adpv1>

