

Free Questions for UiPath-ARDv1 by actualtestdumps

Shared by Poole on 20-10-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

| Question Type | MultipleChoice |
|----------------------|----------------|
|----------------------|----------------|

Which activity cannot be used as a Condition in a Retry Scope activity?

Options:

- A- Check True
- B- Is Match
- **C-** Path Exists
- **D-** Exists In Collection


Answer:

С

Explanation:

Retry Scope condition can be one of the activities that return a boolean. Even though the Path Exists activity also returns a Boolean value, it cannot be used in Retry Scope, it is an exception.

Instead of using Path Exists activity, you can use a Check True activity and as a condition placeSystem.IO.File.Exists(filepath).



UiPath Documentation

UiPath Forum

Exam Topic:Identify and describe the use of the error handling activities such as Try Catch, Throw, Rethrow, Retry Scope, and Global Exception Handler.

Question 2

Question Type: MultipleChoice

A developer wants to automate a process in an internal ERP system. The robot needs to log in to the system using login and password. What is the correct approach to using credentials in UiPath?

Options:

- A- The developer should store login and password in the Config file.
- B- The credentials should be stored in Orchestrator and retrieved using Get Credential activity.
- **C-** The credentials should be stored in Orchestrator and retrieved using Get Asset activity.
- D- The developer should write login and password directly in Type Into activity.

Answer:

В

Explanation:

Gets a specified Orchestrator credential by using a provided AssetName, and returns a username and a secure password.

UiPathDocumentation

Exam Topic:Describe how to work with Orchestrator queues and assets

Question 3

Question Type: MultipleChoice

In the UiPath Robotic Enterprise Framework template, what happens if the processing of a transaction item falls with an Application Exception of a System Error?

Options are:

Options:

A- All use application are closed and then re-initialized

| B- The execution of the transaction item is retried if the MaxRetryNumber config value is greater than 0 | | | | | | |
|--|--|--|--|--|--|--|
| C- The process executes the End Process state | | | | | | |
| | | | | | | |
| Answer: | | | | | | |
| A, B | | | | | | |
| | | | | | | |
| Question 4 | | | | | | |
| Question Type: MultipleChoice | | | | | | |
| | | | | | | |
| What direction can the arguments of a workflow have? | | | | | | |
| Options are : | | | | | | |
| | | | | | | |
| | | | | | | |
| Options: | | | | | | |
| A- In arguments | | | | | | |

B- Out arguments

C- In/Out arguments

| - | | | | | |
|---|---|---|----|---|-----|
| Λ | n | 0 | AA | e | P = |
| ~ | | 3 | vv | Œ | |

A, B, C

Question 5

Question Type: MultipleChoice

Where should Credentials be stored?

Options are:

Options:

- A- In Windows Credential Store
- B- In Orchestrator as assets
- **C-** Directly inside the workflows as variables

Answer:

A, B

Question 6

Question Type: MultipleChoice

Uipath Certification Question Set 6

In the UiPath Robotic Enterprise Framework template, where can the GetAppCredentials workflow retrive credentials from?

Options are:

Options:

- A- Windows Credential Manager
- **B-** Orchestrator Asset
- C- User Dialog

Answer:

Α

To Get Premium Files for UiPath-ARDv1 Visit

https://www.p2pexams.com/products/uipath-ardv1

For More Free Questions Visit

https://www.p2pexams.com/uipath/pdf/uipath-ardv1

