Question 1

What report should a SEP administrator utilize to verify that Clients are connected to the management server?

Options:

A- Client Inventory

B- Client Online Status

C- Client Migration

D- Audit report

Answer:

A

Question 2

Question Type: **MultipleChoice**

What optional Symantec Endpoint Protection component could an administrator utilize if an organization requires custom reports and queries?

Options:

A- Q-Radar

B- Splunk

C- Crystal Reports

D- IT Analytics

Answer:

C

Question 3

Question Type: MultipleChoice

An organization needs to add a collection of DNS host names to permit in the firewall policy.

How Should the SEP Administrator add these DNS host names as a single rule in the firewall policy?

Options:

A- Create a Most Group and add the DNS host names. Then create a firewall rule with the new Host Group as the Source/ Destination

B- Create a Host Group and add the DNS domain. Then create a firewall rule with the new Host Group as the Local/ Remote.

C- Create a Host Group and add the DNS host names. Then create a firewall rule with the new Host Group as the Local/Remote

D- Create a Host Group and add the DNS domain. Then create a firewall rule with the new Host Group as the Source/ Destination

Answer:

B

Question 4

Question Type: MultipleChoice

Refer to the exhibit.

Administrators

- admin
- Sep_SysAdmin
- Joe Chen

Tasks

- Rename the administ
- Edit the administrator
- Delete the administra
- Add an administrator

Administrators

Domains

Servers

System administrator: Sep_SysAdmin

Administrator Name: Sep_SysAdmin

Edit Administrator Properties

[General | **Authentication** | Company]

○ Symantec Endpoint Protection Manager Authentication

Authenticates the account using the Symantec Endpoint
Protection Manager authentication mechanism.

   ○ Password never expires

   ◉ Password will expire in [60] days

Change Password

All fields are required.

Your password: [   ]

Sep_SysAdmin's new password: [   ]

Confirm new password: [   ]

Password Strength: [   ]

○ RSA SecurID Authentication

Authenticates the account using the RSA SecurID mechanism.

◉ Directory Authentication

Authenticates the account based on a directory account.

Directory Server: [Example Active Directory   ▼]   [Directory Servers...]

Account Name: [Nova_Grant   ]   [Test Account]

An administrator has configured the Symantec Endpoint Protection Manager (SEPM) to use Active Directory authentication. The administrator defines a new Symantec Endpoint Protection administrator named Sep_SysAdmin, configured to use Directory Authentication.

Which password needs to be entered when the administrator logs in to the SEPM console as Sep_SysAdmin?

Options:

A- The password for the Active Directory account Nova_Grant

B- The password for the SEPM account Nova_Grant

C- The password for the Active Directory account Sep_SysAdmin

D- The password for the SEPM account Sep_SysAdmin

Answer:

A

Question 5

Question Type: MultipleChoice

You have just started a relayout operation in a live test environment, and you want to limit the impact of your work on concurrent testing activities. You also want to accommodate the need to constrain a relayout job's performance impact on concurrent activities.

What would you do to perform this task?

Options:

A- Use the 'set iodelay' option of vxtask to throttle the VxVM task.

B- Use the 'set iowait' option of vxtask to throttle the VxVM task.

C- Use the 'set slow' option of vxtask to throttle the VxVM task.

D- Use the 'set nice' option of vxtask to throttle the VxVM task.

Answer:

C

Question 6

Question Type: MultipleChoice

An administrator plans to implement a multi-site Symantec Endpoint Protection (SEP) deployment. The administrator needs to determine whether replication is viable without needing to make network firewall changes or change defaults in SEP.

Which port should the administrator verify is open on the path of communication between the two proposed sites?

Options:

A- 1433

B- 2967

C- 8014

D- 8443

Answer:

D

Question 7

Question Type: MultipleChoice

Which step is unnecessary when an administrator creates an application rule set?

Options:

A- define a provider

B- select a process to apply

C- select a process to exclude

D- define rule order

Answer:

A

Question 8

Question Type: **MultipleChoice**

An administrator needs to configure Secure Socket Layer (SSL) communication for clients. In the httpd.conf file, located on the Symantec Endpoint Protection Manager (SEPM), the administrator removes the hashmark (#) from the text string displayed below.

#Include conf/ssl/sslForcClients.conf

Which two tasks must the administrator perform to complete the SSL configuration? (Select two.)

Options:

A- edit site.properties and change the port to 443

B- restart the Symantec Endpoint Protection Manager Webserver service

C- change the default certificates on the SEPM and reboot

D- change the Management Server List and enable HTTPs

E- change the port in Clients > Group > Policies > Settings > Communication Settings and force the clients to reconnect

Answer:

B, D