



Free Questions for 300-535 by vceexamstest

Shared by Becker on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What are two advantages of using Python virtual environments? (Choose two.)

Options:

- A-** They allow for multiple Python projects to use different versions of the same dependency without conflict.
- B-** They allow multiple Python applications to share virtual memory between subprocesses.
- C-** They allow for isolated environments where each can use a different version of Python.
- D-** They allow for all Python projects to utilize the same set of shared dependencies.
- E-** They allow for multiple virtual machines to share a single Python environment.

Answer:

A, C

Question 2

Question Type: MultipleChoice

Refer to the exhibit.

```
"request": {  
  "url": "http://{{server}}:{{port}}/restconf/data/l3vpn:vpn/l3vpn=test",  
  "method": "POST",  
<snip>
```

What are the two outcomes when the RESTCONF POST code is implemented? (Choose two.)

Options:

- A- A new VPN endpoint to a VPN is added.
- B- An L3VPN endpoint to a VPN is replaced.
- C- An L3VPN endpoint to a VPN is merged.
- D- A new L3VPN endpoint to a VPN is added.
- E- An L3VPN endpoint to a VPN is updated.

Answer:

D, E

Question 3

Question Type: MultipleChoice

Which is a format used for the YANG JSON content-type header?

Options:

- A- application/vnd/yang.data+json
- B- application/vnd.yang.data+json
- C- application/yang.data.json
- D- application/vnd.yang.data json

Answer:

B

Question 4

Question Type: MultipleChoice

Refer to the exhibit.

```
module: openconfig-interfaces
+- -rw interfaces
  +- -rw interface* [name]
    +- -rw name          -> . ./config/name
    +- -rw config
      | +- -rw type          identityref
      | +- -rw mtu?         uint16
      | +- -rw name?       string
      | +- -rw description? string
      | +- -rw enabled?    boolean
    +- -ro state
      | +- -ro type          identityref
      | +- -ro mtu?         uint16
      | +- -ro name?       string
      | +- -ro description? string
      | +- -ro enabled?    boolean
      | +- -ro ifindex?    uint32
      | +- -ro admin-status enumeration
      | +- -ro oper-status  enumeration
      | +- -ro last change? yang:timeticks
      | +- -ro counters
      |   +- -ro in-octets?   yang:counter64
      |   +- -ro in-unicast-pkts? yang:counter64
      |   +- -ro in-broadcast-pkts? yang:counter64
```

Which two configuration leaves in this YANG model are optional? (Choose two.)

Options:

A- last-change

B- oper-status

C- type

D- enabled

E- mtu

Answer:

A, E

Question 5

Question Type: MultipleChoice

Which statement describes an asynchronous API communication?

Options:

- A- Asynchronous communication waits for a response.
- B- Synchronous communication is with a central orchestrator.
- C- It is not necessary to wait for availability of a resource.
- D- An application can freeze if there is no response from a request.

Answer:

C

Question 6

Question Type: MultipleChoice

What is an interior YANG data node that exists in at most one instance in the data tree and has no value?

Options:

- A- listing node
- B- tree node
- C- container node

D- leaf node

Answer:

C

Question 7

Question Type: MultipleChoice

An engineer just completed the installation of Cisco NSO and all of its components. During testing, some of the services are not working properly. To resolve the issue, the engineer started undeploying service instances. What can this cause?

Options:

- A-** It removes the service configuration from the network device only.
- B-** It removes the service configuration from the network and NSO.
- C-** It removes the service configuration from NSO only.
- D-** It runs the service code again when the device is out of sync.

Answer:

B

To Get Premium Files for 300-535 Visit

<https://www.p2pexams.com/products/300-535>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/300-535>

