



Free Questions for 300-635 by vceexamstest

Shared by Valenzuela on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What are two main guiding principles of REST? (Choose two.)

Options:

A- trackable

B- stateless

C- single-layer system

D- stateful

Answer:

B, C

Question 2

Question Type: MultipleChoice

Which two components are required from the Cisco Intersight REST API Authentication? (Choose two.)

Options:

- A- SHA256 hash of the message body and message headers
- B- SHA256 hash of the message body, including empty message bodies
- C- RSA private key with a key size of 2048
- D- RSA private key with a key size of 1024
- E- SHA384 hash of the message body, excluding empty message bodies

Answer:

A, C

Explanation:

<https://github.com/ansible/ansible/pull/51309/files/a68de94464ad34b4e6836f86662ef0ba6060a2e9>

Question 3

Question Type: MultipleChoice

Which statement about synchronous and asynchronous API calls is true?

Options:

- A-** Synchronous API calls wait to return until a response has been received.
- B-** Synchronous communication is harder to follow and troubleshoot
- C-** Synchronous API calls must always use a proxy server
- D-** Asynchronous communication uses more overhead for client authentication.

Answer:

A

Question 4

Question Type: DragDrop

Drag and drop the correct YAML components from the bottom onto the correct blanks within the Ansible playbook to create a new application profile called "DbApp" using the Ansible ACI module. Not all options are used.

- name: Add a new AP

Answer:

host: apic

username: admin

password: SomeSecretPassword

Question 5

Question Type: MultipleChoice

Refer to the exhibit:

Dn

--

sys/chassis-4/blade-1

sys/chassis-4/blade-3

sys/chassis-4/blade-5

sys/chassis-4/blade-7

sys/chassis-5/blade-1

: DbApp

resent

Refer to the exhibit. Which two Cisco UCS PowerTool commands provide this output? (Choose two)

Scenario: My Company

Command: query

Options:

- A- Get-UcsServer | Select-Object Dn
- B- Get-UcsRackSystems | Select-Object Dn
- C- Get-UcsBlade | Select-Object Dn
- D- Get-UcsRackUnit | Select-Object Dn
- E- Get-UcsSystems | Select-Object Dn

Answer:

A, C

Question 6

Question Type: MultipleChoice

Refer to the exhibit:

```
1  ---
2  # Playbook: VLAN configuration using the [ucs] hosts group
3  - hosts: ucs
4  connection: local
5  gather_facts: no
6  tasks:
7  - name: Configure VLAN
8
9      hostname: "{{ ucs_hostname }}"
10     username: "{{ ucs_username }}"
11     password: "{{ ucs_password }}"
12     state: "{{ ucs_state }}"
13     name: vlan10
14     id: '10'
15     native: 'no'
```

Refer to the exhibit: Which Ansible module is need in line 8 to create a new VLAN 10 on the hosts defined in the "ucs" group?

Options:

A- vlan

B- ucs_vlans

C- vlans

D- nxos_vlans

Answer:

B

Question 7

Question Type: DragDrop

Drag and drop the items to complete the request to retrieve the current firmware of Cisco UCS devices from the Cisco Intersight API. Not all items are used.


```

[ ] "https://intersight.com/api/v1
[ ] / [ ] "

```

Answer:

Question 8

Question Type: MultipleChoice

RunningFirmwares	RunningFirmwares
UpgradeStatuses	POST
firmware	firmware

Which two statements apply to authentication when using the Cisco Intersight API? (Choose two.)

Options:

- A- Each API Key can be assigned specific roles but not privileges.
- B- Secret Key is only available at API Key creation time
- C- An API Key is composed of a Key ID and Secret Key
- D- The user credentials for the cisco.com accounts are shared with the Cisco Intersight Web Service
- E- An API Key is composed of a keyId and sessionCookie

Answer:

B, C

To Get Premium Files for 300-635 Visit

<https://www.p2pexams.com/products/300-635>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/300-635>

