



Free Questions for 300-435 by vceexamstest

Shared by Price on 20-10-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

On which device is the Cisco SD-WAN manage certificate management API able to install certificates?

Options:

- A- CSR 1000v
- B- vFog router
- C- load balancer
- D- vSmart

Answer:

C

Question 2

Question Type: MultipleChoice

In the Cisco DNA Center Operational Tool API, which section of the intent API allows the retrieval of keywords that are accepted by the CLI and enables the execution of read-only commands on network devices to retrieve their real-configuration?

Options:

- A- Device Inventory
- B- Command Runner
- C- Network Assurance
- D- Device Discovery

Answer:

D

Question 3

Question Type: MultipleChoice

Refer to the exhibit. End users cannot connect to the circular network, and the signal strength is poor. A missing or unknown APN status message is present and the modern status remains in low-power mode. Which addresses the issue?

Options:

- A- Use the device/cellular/status vManage resource URI to ensure sufficient radio signal strength.
- B- Use the system/device/controllers vManage resource URI to set the platform temperature.
- C- Use the device/app-route/statistics vManage resource URI to allow packets reachability to hosts.
- D- Use the device/tools/ping vManage resource URI to allow network device reachability.

Answer:

D

Question 4

Question Type: MultipleChoice

Refer to the exhibit.

```
import requests

url = "https://api.meraki.com/api/v1/networks/ENAUTO/devices/remove"

payload = '{ "serial": "Q134-....." }'

headers = {
    "Content-Type": "application/json",
    "Accept": "application/json",
    "": "",
    "X-Cisco-Meraki-API-Key": "6bec40cf957de430a6f1f2012345678a4fac9ea0"
}

print(response.text.encode('utf8'))
```

An engineer needs to remove the device with serial Q134_06776318 FROM THE NETWORK 'ENAUTO' by utilizing Meraki APIs. Which line of code must be added to the box where the code is missing to complete the python request?

- response = requests.request("POST", url, headers=headers, data = payload)
- response = requests.request("DELETE", url, headers=headers, data = payload)
- response = requests.request("POST", url, data = payload)
- response = requests.request("DELETE", url, headers=headers)

Options:

A- Option A

B- Option B

C- Option C

D- Option D

Answer:

A

Question 5

Question Type: MultipleChoice

Refer to the exhibit. What is a characteristic of the tree?

Options:

A- three optional metrics

B- two leaf-lists

C- ten leaf-lists

D- three containers

Answer:

D

Question 6

Question Type: MultipleChoice

Refer to the exhibit.

```
POST {{baseUrl}}/dna/intent/api/v1/network-device-poller/cli/read-request

Params Authorization Headers (10) Body Pre-request Script Tests
● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL

1 {
2   "commands": [
3     "configure terminal",
4     "interface GigabitEthernet 1",
5     "ip address 192.168.1.0 255.255.255.0"
6   ],
7   "description": "Command runner ENAUTO Test 1",
8   "deviceUuids": [
9     "a6f6d784-da60-44ca-b7a9-e591a4f35418"
10  ],
11  "name": "ENAUTO Test 1",
12  "timeout": "0"
13 }
```

After executing the call, an engineer obtains the result of the Command Runner execution.

The three commands show as blocklisted in the downloaded file. What is the cause of the error?

Options:

A- The API user in Cisco DNA does not have write privileges on the devices.

- B-** The engineer attempting to access the devices in Cisco DNA Center does not have privilege 15.
- C-** The format of the JSON body must follow the CLI format.
- D-** Command Runner supports only the show command and the read-only command.

Answer:

D

Question 7

Question Type: MultipleChoice

Refer to the exhibit.

```
telemetry ietf subscription 154
  encoding encode-tdl
  filter xpath /memory-ios-xe-oper:memory-statistics/memory-statistic
  source-vrf Mgmt-intf
  stream yang-push
  update-policy periodic 6000
```

The configuration commands are entered in CLI config mode to configure a static telemetry

subscription on a Cisco IOS XE device. The commands are accepted by the device, but the consumer receives no telemetry data

a. Which change must be made to ensure that the consumer receives the telemetry data?

Options:

- A- The IP address of the receiver must be set.
- B- The stream type must be set to YANG.
- C- The update policy period must be shortened.
- D- The sender IP address must be set.

Answer:

A

Explanation:

[b_1610_programmability_cg/model_driven_telemetry.html](https://www.cisco.com/.../b_1610_programmability_cg/model_driven_telemetry.html)

Question 8

Question Type: MultipleChoice

What is a capability of MV Sense MQTT API?

Options:

- A- request and subscribe to historical, current, or real-time data
- B- automate the configuration of networking devices
- C- monitor the network and auto adjust for optimal performance
- D- create email alerts for user that violate the security configuration

Answer:

A

Question 9

Question Type: MultipleChoice

Refer to the exhibit. Which device type is functioning in a degraded state?

Options:

- A- access point
- B- distribution switch
- C- access switch
- D- wireless LAN controller

Answer:

D

Question 10

Question Type: MultipleChoice

What is an advantage of software-defined networks as compared to traditional networks?

Options:

- A- They simplify operations by creating a concrete copy of the network.
- B- They reduce complexity by coupling the control and the data plane.
- C- They enable older hardware to be repurposed without an investment in new infrastructure.
- D- They deliver a distributed management architecture that provides better resilience to errors.

Answer:

D

Question 11

Question Type: MultipleChoice

Refer to the exhibit.

```
POST https://api.meraki.com/api/v0/organizations/<org id>/networks
Request body: { "name": "Template", "organizationId": <org id>, "type": " " }
Response code: 201
Response body: { "id": <network id>, "name": "Template",
                 "organization id": <org id>, "type": " ", "tags": null }
```

A template is provided to a junior developer to automate the creation of a network on the

Meraki dashboard. The new network needs to have the id 123456789 and support only wired network connections. What type needs to be added to the API?

Options:

A- switch

B- wireless

C- appliance

D- systemsManager

Answer:

C

To Get Premium Files for 300-435 Visit

<https://www.p2pexams.com/products/300-435>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/300-435>

