

Free Questions for DES-DD23 by vceexamstest

Shared by Parsons on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What can be used to monitor system utilization?

Options:

- A- Health tab in the System Manager GUI
- B- system show performance command
- **C-** Alert Messages
- D- system status command

Answer:

С

Question 2

Question Type: MultipleChoice

What are some possible network bottlenecks for a PowerProtect DD?
Options:
A- Configuration, wire speeds, switches and routers
B- Connectivity, routing protocols, and configuration
C- Connectivity, firewalls, and routing protocols
D- Routing protocols, switches and routers, and wire speeds
Answer:
D
Explanation:
Some possible bottlenecks are:
1- Clients
* Disk Issues
* Configuration

- * Connectivity

 2- Network
 - * Switches and routers
 - * Routing protocols and firewalls
 - 3- Backup Server

* Wire speeds

- * Configuration
- * Load
- * Connectivity
- 4- Data Domain System
- * Connectivity
- * Configuration
- * Log level set too high

Question 3

Question Type: MultipleChoice

When the PowerProtect DD system boots up for the first time, the CLI configuration wizard script does not start automatically.

Which command can be used to start the script manually?

Options:

- A- configure terminal
- B- config setup
- C- setup config
- D- config wizard

Answer:

В

Question 4

Question Type: MultipleChoice

A customer needs to use DD Retention Lock Compliance to ensure that data integrity is maintained. Which PowerProtect DD systems meet the customer's requirement?

Options:

- **A-** DD3300, DD6900, and DD9400
- B- DDVE, DD3300, and DD6900
- C- DD6900, DDVE, and DD9400
- D- DD9400, DDVE, and DD9900

Answer:

Α

Question 5

Question Type: MultipleChoice

What are some key benefits of performing backups and recoveries with a PowerProtect DD appliance?

Options:

- A- Reduction in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery
- **B-** Increase in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery
- C- Reduction in the overall size and scope Elimination of physical tape

 Number of copies that do not need to be tracked Increased speed of disaster recovery
- D- Increase in the overall size and scope Elimination of physical tape

 Number of copies that do not need to be tracked Increased speed of disaster recovery


Answer:

В

Question 6

Question Type: DragDrop

Refer to the exhibit.



Match each action to its call-out location.

OPTIONS:

Answer:	Install Spectrum Protect	
1	Configure an NFS export	
Question 7		
Question Type: MultipleChoice	Configure Spectrum Protect to use NFS	

Which of the following protocols are supported by PowerProtect DD for data movement to a cloud provider?

Options:

- A- CIFS and NFS
- **B-** FTP and FTPS
- C- VTL and DD Boost
- **D-** HTTP and HTTPS

Answer:

Question 8

Question Type: MultipleChoice

An administrator is configuring an Azure cloud unit on their DD6900. Which certificate must be imported before adding the cloud unit?

Options:

- A- GlobalSign Root R2
- B- GlobalSign Root R1
- C-S3 Flexible
- D- Baltimore CyberTrust Root CA

Answer:

D

Question 9

Question Type: N	IultipleChoice
------------------	-----------------------

Backup administrators have noticed slow backups on the AIX environment.

To fix the issue, what should the set large_send be for each NIC, and what should the NFS option be set to?

Options:

A- no and nfs_rfc1323=0

B- yes and nfs_rfc1323=0

C- no and nfs_rfc1323=1

D- yes and nfs_rfc1323=1

Answer:

C

Explanation:

To optimize TCP/IP performance on the AIX host, set large_send to no for each NIC interface.

To Get Premium Files for DES-DD23 Visit

https://www.p2pexams.com/products/des-dd23

For More Free Questions Visit

https://www.p2pexams.com/dell-emc/pdf/des-dd23

