

Free Questions for D-NWG-FN-23 by vceexamstest

Shared by Hansen on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

You have been asked to examine a BGP configuration for a co-worker who is having difficulty establishing BGP peering. The address shown is that of the neighbor's Lo0 interface. Given the configuration shown, what would be your recommendation?

S3(config-router-bgp-65042)# neighbor 192.168.32.1

S3(config-router-neighbor)# remote-as 65042

Options:

A- Modify the existing configuration to be:

S3(config-router-bgp-65042)# neighbor 192.168.32.1/24 S3(config-router-neighbor)# peer-as 65042

- B- Add the following to the existing configuration: S3(config-router-neighbor)# update-source loopback 0 S3(config-router-neighbor)# no shutdown
- C- Issue the no shutdown command and verify that the BGP state is ESTABLISHED
- D- Issue the no shutdown command and verify that the BGP state is ACTIVE

Answer:

С

Question 2

Question Type: DragDrop

Match the QoS terms to their descriptions.

TERMS:	DESCRIPTIONS:	
Transmission control	Bandwidth management technique, used to delay some or all the packets to bring them into compliance with a specific flow rate	
Traffic shaping	Provides path redundancy and lower over subscription ratios	
Prioritization	Mechanism that controls the flow of data sent to the network	
Load balancing	Optimizes performance metrics	
Scheduling	Classifies flows based on their priorities and treating them accordingly can improve performance	

Question 3

Question Type: MultipleChoice

What is the maximum number of LLDP neighbors supported per system with OS10?

Options:

A- 250

B- 256

C- 384

D- 512

Answer:

Α

Question 4

Question Type: MultipleChoice



Answer:

В

Question 5

Question Type: MultipleChoice

What version of IGMP is required by PIM-SSM receivers?

Two OS10 switches reside within a VLT domain with statically configured primary-priorities. The current primary peer, switch OS10-A, has a priority of 100, while the secondary peer, OS10-B, has a priority of 200.

If OS10-A reboots and comes back online, what roles will the VLT peers be assigned?

0	pti	or	ıs:
_		_	

- A- OS10-A will be primary and OS10-B will be secondary.
- B- OS10-A will be secondary and OS10-B will be master.
- C- OS10-A will be standby and OS10-B will be primary.
- D- OS10-A will be secondary and OS10-B will be primary.

Answer:

D

Question 6

Question Type: MultipleChoice

When implementing QoS on a 10Gb connection, 6Gb is required by the customer. What QoS level best fits the requirement while keeping resource use to a minimum?

Options:

- A- Differentiated service
- **B-** Guaranteed service
- C-FIFO
- D- Best-effort service

Answer:

В


Question 7

Question Type: MultipleChoice

A customer has disabled LLDP on the management interface of the switch. What is the proper command to re- enable it?

Options:

- A- OS10(config)# lldp enable OS10(config)#lldp transmit OS10(config)#lldp receive
- B- OS10(config)# interface mgmt 1/1/1 OS10(conf-if-ma-1/1/1)#lldp med enable OS10(conf-if-ma-1/1/1)#lldp timer 10
- C- OS10(config)# interface mgmt 1/1/1 OS10(conf-if-ma-1/1/1)#lldp transmit OS10(conf-if-ma-1/1/1)#lldp receive



To Get Premium Files for D-NWG-FN-23 Visit

https://www.p2pexams.com/products/d-nwg-fn-23

For More Free Questions Visit

https://www.p2pexams.com/dell-emc/pdf/d-nwg-fn-23

