



Free Questions for C1000-003 by vceexamstest

Shared by Fuentes on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What type of event listeners must your application register before analytics is enabled?

Options:

A- ADMIN

B- DEVICE

C- LIFECYCLE

D- BACKGROUND

Answer:

C

Explanation:

To capture app usage, you must register app lifecycle event listeners before the relevant event occurs and before sending the data to the server.

Question 2

Question Type: MultipleChoice

What is the result of the following code?

```
challengeHandler = WL.Client.createSecurityCheckChallengeHandler("PinCode")
```

Options:

- A- It creates a security check named "PinCode".
- B- It creates a challenge handler named "PinCode".
- C- It registers a challenge handler to the "PinCode" security check.
- D- It registers this security check to the "PinCode" challenge handler.

Answer:

B

Question 3

Question Type: MultipleChoice

For the Mobile Foundation Live Update feature, what is the purpose of the Segment Resolver adapter?

Options:

- A-** To provide custom business logic for retrieving a segment based on the application/device/user context.
- B-** To validate a segment based on the application/device/user context.
- C-** To allow Mobile Foundation adapters to interact with the Live Update feature.
- D-** To validate a schema based on the application/device/user context.

Answer:

A

Question 4

Question Type: MultipleChoice

What are two supported OAuth2 authorization servers for the Mobile Foundation security framework? (Choose two.)

Options:

- A- LDAP Server
- B- Mobile Foundation Server
- C- IBM DataPower Gateway
- D- WebSphere Application Server
- E- Mobile Foundation Operations Console

Answer:

C, E

Question 5

Question Type: MultipleChoice

Which statement is true regarding Simple Data Sharing?

Options:

- A- Applications must be signed by the same signing identity.
- B- Large tokens do not cause performance degradation.
- C- This feature is only available in the native code for applications.
- D- Using Mobile Foundation APIs limits the use of native data sharing.

Answer:

A

Question 6

Question Type: MultipleChoice

When making a request to an external resource using Mobile Foundation JavaScript API, which method is used to send form parameters?

Options:

- A- send(formParams)

- B- setFormParameters(formParams)
- C- setQueryParameters(formParams)
- D- sendFormParameters(formParams)

Answer:

B

To Get Premium Files for C1000-003 Visit

<https://www.p2pexams.com/products/c1000-003>

For More Free Questions Visit

<https://www.p2pexams.com/ibm/pdf/c1000-003>

