



**Free Questions for C1000-143 by vceexamstest**

**Shared by Humphrey on 29-01-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

Which field in the ObjectServer usually holds the name of the probe or source of origin of the event?

### Options:

---

- A- Location
- B- NodeAlias
- C- Manager
- D- Node

### Answer:

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

What are two of the templates that are available in the Resource group templates of AI Manager?

**Options:**

---

- A- File-based template
- B- Dynamic template
- C- Topology template
- D- ScopeID-based template
- E- Tag-based template

**Answer:**

---

B, E

## Question 3

---

**Question Type:** MultipleChoice

---

What are two prerequisites to install the Netcool Hybrid Deployment Option Integration Kit on an on-premises Operations Management (NOI) installation?

**Options:**

---

- A-** First, download the correct version of Integration Kit from Passport Advantage.
- B-** Installation Manager must use SSL and have the correct certificate installed.
- C-** Installation Manager V1.9 or later (can be run in GUI mode.)
- D-** Installation Manager must be set to search for latest on Passport Advantage to download latest versions of components.
- E-** The primary and backup Object Servers are both running and are accessible on external IP addresses.

**Answer:**

---

D, E

## Question 4

---

**Question Type:** MultipleChoice

---

Which two log files are generated in Metric Manager?

**Options:**

---

- A- Installation
- B- Application
- C- Activity
- D- Mediation Tool
- E- Data Operation

**Answer:**

---

D, E

## Question 5

---

**Question Type:** MultipleChoice

---

What is required when loading log data into AI Manager for log anomaly training?

**Options:**

---

- A- Data from every configured source of historical log data should be loaded before training.
- B- Data connections that support multiple sources should be used for training separately from single data source connections.

- C- Data should be loaded by one source per training cycle.
- D- Single data source connections only can be used for training.

**Answer:**

---

B

## Question 6

---

**Question Type: MultipleChoice**

---

In AI Manager, the All users group is used to give all users access to what feature or management tool?

**Options:**

---

- A- Event management features
- B- User management
- C- Operation management
- D- Console and common features

**Answer:**

---

A

## Question 7

---

**Question Type:** MultipleChoice

---

Which two components can be used to interact with the API resources in Event Manager?

**Options:**

---

A- cURL

B- Swagger UI

C- EventManager API

D- Manager API

E- Runbooks API

**Answer:**

---

C, D

## Question 8

---

**Question Type:** MultipleChoice

---

In Event Manager, which event groupings usually occur within a short time of each other?

**Options:**

---

- A- Scope-based
- B- Seasonal
- C- Temporal
- D- Topology

**Answer:**

---

C

## Question 9

---

**Question Type:** MultipleChoice

---



What happens in AI Manager when the aiops-ir-core-archiving pod can no longer communicate with some Kafka topics?

**Options:**

---

- A- Event journal updates can no longer be maintained.
- B- AI Manager fails to create temporal grouping policies
- C- Cassandra crashes and is unable to res
- D- Kafka topics no longer accept subscriptions.

**Answer:**

---

B

## Question 10

---

**Question Type: MultipleChoice**

---

When configuring the LDAP directory for Event Manager, what is the base Distinguished Name (base DN) value in the following entry?

uid=icpadmin, ou=users, DC=TEXAS , DC=IBM, DC=COM

**Options:**

---

- A- ou=users , DC=TEXAS , DC=IBM, DC=COM
- B- uid=icpadmin, ou=users, DC=TEXAS, 00=131-1, DC=COM
- C- DC=TEXAS , DC=IBM, DC=COM
- D- There is no base DN in the entry

**Answer:**

---

D

## Question 11

---

**Question Type: MultipleChoice**

---

In Metric Manager, what must an administrator do to read metric data from normalized database tables that contain foreign reference keys?

**Options:**

---

- A- Create a view that contains the tables to read

**B-** Implement a virtual data fabric

**C-** Create a second database and export the data

**D-** Change the database configuration to use non-normalized tables

**Answer:**

---

C

**To Get Premium Files for C1000-143 Visit**

<https://www.p2pexams.com/products/c1000-143>

**For More Free Questions Visit**

<https://www.p2pexams.com/ibm/pdf/c1000-143>

