



Free Questions for VCS-278 by certsdeals

Shared by Kelly on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What is the state of the catalog backup media after successful completion of a catalog recovery using the Catalog Recovery Wizard?

Options:

- A- Suspended
- B- Active
- C- Imported
- D- Frozen

Answer:

D

Question 2

Question Type: MultipleChoice

Where in the Backup, Archive, and Restore interface on a Microsoft Windows Client would an administrator define the source client for a restore job?

Options:

- A- Select for Restore > Restore from Normal Backup
- B- File > NetBackup Client Properties > General
- C- File > NetBackup Client Properties > Host Properties
- D- File > Specify NetBackup Machines and Policy Type

Answer:

A

Question 3

Question Type: MultipleChoice

A restore has failed with the following jobs details:

```
1/7/2017 4:02:23 PM - Info tar32(pid=48292) Restore started.
1/7/2017 4:02:23 PM - connected; connect time: 00:00:08
1/7/2017 4:17:33 PM - Error bptm(pid=5112) error requesting media, TpErrno = Robot operation failed
1/7/2017 4:17:35 PM - current media A12345 complete, requesting next resource IBM.ULTRIUM-
TD4.019:NetBackup:A12345
1/7/2017 4:17:41 PM - awaiting resource IBM.ULTRIUM-TD4.019:NetBackup:A12345 A pending request has
been generated for this resource request.
Operator action may be required. Pending Action: All drives down.,
Media ID: A12345, Barcode: A12345L4, Density: hcart, Access Mode: Read,
Action Drive Name: N/A, Action media server: Media-02, Robot Number: 1, Robot Type: TLD,
Volume Group: 000_00001 TLD, Action Acs: N/A, Action Lsm: N/A
```

Which two resources should the administrator use to troubleshoot this issue? (Choose two.)

Options:

- A- the bpmedia command
- B- the robtest command
- C- the operating system logs
- D- the logs from the NetBackup 'bpbkar' process
- E- the nbdevconfig command


Answer:

D, E

Question 4

Question Type: MultipleChoice

Refer to the Exhibit.



Which diagram is supported for backups spanning BasicDisk storage?

Options:

A- A

B- B

C- C

D- D

Answer:

C

Question 5

Question Type: MultipleChoice

Where are the NetBackup track logs located by default when backing up a NetApp filer using the NDMP policy type with NetBackup Accelerator enabled?

Options:

A- on a NetBackup client

B- on the NetApp filer

C- on a user defined network share

D- on the NetBackup master and media server

Answer:

B

Explanation:

https://www.veritas.com/support/en_US/doc/24427212-126400885-0/v99897177-126400885

Question 6

Question Type: MultipleChoice

A peername file needs to be created for a client to perform redirected restores.

What is the name of the directory where the peername file needs to be created on a master?

Options:

- A- clients
- B- config
- C- images
- D- altnames

Answer:

D

Explanation:

<https://vox.veritas.com/t5/NetBackup/Netbackup-windows-folder-restore-to-different-server/td-p/411252>

To Get Premium Files for VCS-278 Visit

<https://www.p2pexams.com/products/vcs-278>

For More Free Questions Visit

<https://www.p2pexams.com/veritas/pdf/vcs-278>

