



XML I10-001 Mock Exam

Shared by Armstrong on 17-06-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question 1

Question Type: MultipleChoice

Press the Exhibit button to view the XML document "a. xml", and apply XSLT stylesheet "b. xsl" to "a. xml". Select Which option best correctly describes the transformation results.

Options:

- A- Local_Area_Connection
- B- Local_Area_ConnectionSMTPAdministrator
- C- 2004/07/07Local_Area_ConnectionCurrently_ProcessingSMTPAdministrator
- D- Nothing is outputW Courier Newlr Z

Answer:

B

Question 2

Question Type: MultipleChoice

Select which of the following correctly describes a namespace to which the "Application" element in the XML document below belongs.

```
<?xml version="1.0"?>
```

Address_Change

Bunkyo-ku_Tokyo_XXXX Ichiro_Yamamoto Sales_Department 03-1111-1111

Options:

- A- urn:sample:personal
- B- urn:sample:Application
- C- Same namespace as the data element
- D- Does not belong to any of the namespaces. W Courier Newlr Z

Answer:

D

Question 3

Question Type: MultipleChoice

Company B has decided to manage product information using XML data. Press the Exhibit button to view "Requirements". Select which of the following DTD definitions best satisfies "Requirements".

Options:

A- xmlns='urn:sample:Order'

xmlns:Product='urn:sample:Product'

B- xmlns:Order='urn:sample:Order'

xmlns:Product='urn:sample:Product'

C- When validating the structure of an XML document using a DTD document, the XML document must always include the document type declaration (<!DOCTYPE>). W Courier Newlr Z

D- <!ELEMENT Product (ProductData)*>

<!ELEMENT ProductData (name, ID)>

<!ELEMENT name (#PCDATA)>

<!ELEMENT ID (#PCDATA)>

<!ATTLIST Product color CDATA #IMPLIED size CDATA #IMPLIED>W Courier Newlr Z

Answer:

C

Question 4

Question Type: MultipleChoice

Select the statement about a problem with DTDs that is incorrect.

Options:

A- The way statements are made in a DTD differs from how the same statements are made in XML. As a result, different algorithms must be made available for the XML processor to interpret XML documents, which is inefficient.

B- Any single DTD can only be used to validate a single XML document.

C- In a DTD, it is not possible to specify any explicit numerical data type.

D- DTDs fail to comply with the rules of namespaces. W Courier Newlr Z

Answer:

B

Question 5

Question Type: MultipleChoice

Choose the statement about style sheets that is correct.

Options:

- A- XSL is the only style sheet that can be applied to XML documents.
- B- CSS is a collection of style sheets that can be applied to both XML and HTML documents.
- C- CSS is not recommended by the W3C.
- D- In CSS, data and expressions are inseparable. W Courier Newlr Z

Answer:

B

Question 6

Question Type: MultipleChoice

Press the Exhibit button to view the XML document "a. xml", and apply XSLT stylesheet "b. xsl" to "a. xml". The content of the administrator element with a state attribute of "Auto_Logon" is output in the transformation results. Select which of the following correctly belongs in (1) of the stylesheet.

Options:

- A- acl/administrator/state
- B- ./acl/administrator/state
- C- ../acl/administrator/state
- D- /security/acl/administrator/stateW Courier Newlr Z

Answer:

C, D

Question 7

Question Type: MultipleChoice

Press the Exhibit button to view "XML Schema Document". Choose which of the following correctly describes a valid XML document with respect to "XML Schema Document".

Options:

A- `<?xml version='1. 0'?>`

`<ContactInformation>`

`<Name>Taro Yamada</Name>`

`<eMail>yamada@abc. co. jp</eMail>`

`<Tel>03-xxxx-xxxx</Tel>`

`<Fax>03-xxxx-xxxx</Fax>`

`</ContactInformation>`

B- This is not a valid XML document, because the A2 attribute does not reference the ID type value.

C- `<?xml version='1. 0'?>`

`<ContactInformation>`

`<Name>Taro Yamada</Name>`

`<eMail>yamada@abc. co. jp</eMail>`

`<Fax>03-xxxx-xxxx</Fax>`

`</ContactInformation>`

D- `<?xml version='1. 0'?>`

`<ContactInformation>`

`<Name>Taro Yamada</Name>`

`<eMail>yamada@abc. co. jp</eMail>`

`</ContactInformation>W Courier Newlr Z`

Answer:

B, C

Question 8

Question Type: MultipleChoice

Choose which of the following correctly describes an XML Schema definition when the Market Price element must be a positive integer. Assume the Schema namespace prefix is "xs".

Options:

- A- A well-formed XML document must always be valid with respect to DTD definition content.
- B- When validating the structure of an XML document using a DTD document, the XML document must always include the document type declaration (<!DOCTYPE>).
- C- In an HTML document, the end-tag associated with a start-tag can be omitted. However, in XML documents a start-tag must always have a terminating end-tag.
- D- <xs:element name='MarketPrice' type='xs:hexBinary'/>

Answer:

B

Question 9

Question Type: MultipleChoice

Select which of the following correctly describes a namespace to which the "Telephone_Number" element in the XML document below belongs.

```
<?xml version="1.0"?>
```

Address_Change Bunkyo-ku_Tokyo_XXXX Ichiro_Yamamoto

Sales_Department

03-1111-1111

Options:

- A- urn:sample:personal
- B- urn:sample:Application
- C- urn:sample:NameCard
- D- Does not belong to any of the namespaces.

Answer:

A

Question 10

Question Type: MultipleChoice

Select Which option best correctly describes a document type declaration when designating an external DTD file.

Options:

- A- Place the symbol in a text string within external entity document references from within the XML. W Courier Newlr Z
- B- When validating the structure of an XML document using a DTD document, the XML document must always include the document type declaration (<!DOCTYPE>). W Courier Newlr Z
- C- <!DOCTYPE root [<!ELEMENT productlist SYSTEM 'product. dtd'>]>
- D- <!DTD productlist SYSTEM 'product. dtd'>W Courier Newlr Z

Answer:

B

Question 11

Question Type: MultipleChoice

Press the Exhibit button to view the external DTD subset "prod. dtd". Choose Which option best correctly describes a valid XML document when the external DTD subset "prod. dtd" file is generated.

Options:

- A- When validating the structure of an XML document using a DTD document, the XML document must always include the document type declaration (<!DOCTYPE>). W Courier Newlr Z
- B- Place the symbol in a text string within external entity document references from within the XML. W Courier Newlr Z
- C- A well-formed XML document must always be valid with respect to DTD definition content.
- D- In an HTML document, the end-tag associated with a start-tag can be omitted. However, in XML documents a start-tag must always have a terminating end-tag.

E- <?xml version='1. 0'?>
<!DOCTYPE product SYSTEM 'prod. dtd'>

W Courier Newlr Z

Answer:

A

Question 12

Question Type: MultipleChoice

Select Which option best is a well-formed XML document.

Options:

A- <voice>

This is <name>Linda</name> speaking.

</voice>

B- <name>Linda</name>

<voice> This is Linda speaking.

</voice>

C- This is not a well-formed document, because the attribute value cannot have a line feed in it.

B. This is not a valid XML document, because an attribute cannot be designated for an element that is designated as EMPTY.

D- <vx:voice>

This is <vx:name>Linda</name> speaking.

</voice>W Courier Newlr Z

Answer:

A

To Get Premium Files for I10-001 Visit

<https://www.p2pexams.com/products/i10-001>

For More Free Questions Visit

<https://www.p2pexams.com/xml/pdf/i10-001>

20%
DISCOUNT

P2P
exams